



30350  
PATENTS

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Gerald A. LAVALLEE  
Application No.: 09/754,530  
Filed: January 4, 2001  
For: DIRECT CAVITY GATE GOLF BALL INJECTION MOLD

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS


Customer Service Center  
Office of Initial Patent Examination  
Commissioner for Patents  
Washington, D.C. 20231

Sir:

In response to the Notice to File Corrected Application Papers mailed February 16, 2001 (see attached copy), Applicant files herewith substitute drawings in compliance with 37 CFR § 1.84.

Respectfully submitted,

Apr. 6, 2001


  
Lawrence E. Laubscher, Jr.  
Registration No. 28,233  
LAUBSCHER & LAUBSCHER  
1160 Spa Road, Suite 2B  
Annapolis, MD 21403  
Telephone: (410) 280-6608

---

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Customer Service Center, Office of Initial Patent Examination, Commissioner for Patents, Washington, D.C. 20231 on April 6, 2001.

Geri Spicknall





## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov


APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/754,530	01/04/2001	Gerald A. Lavallee	21423

CONFIRMATION NO. 2547

24932

LAWRENCE E LAUBSCHER, JR  
LAUBSCHER & LAUBSCHER  
1160 SPA RD  
SUITE 2B  
ANNAPOLIS, MD 21403

## FORMALITIES LETTER



Date Mailed: 02/16/2001

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

*ELI*  
Customer Service Center  
Initial Patent Examination Division (703) 308-1202

PART 1 - ATTORNEY/APPLICANT COPY